

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re patent of:

EDMUND SCHLESSLE, et al.

U.S. Patent No.: 7,353,057

Issue Date: April 1, 2008

For: APPARATUS AND METHOD FOR DETECTING ATRIAL FIBRILLATION

Attorney Docket No.: SSHP 0101 PUSA

**REQUEST FOR "CERTIFICATE OF CORRECTION"**

Attention Certificate of Correction Branch  
Commissioner for Patents  
U.S. Patent & Trademark Office  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

It is requested that a Certificate of Correction be issued for the above-identified patent under the provisions of 37 C.F.R. § 1.322. The corrections noted are as follows:

Column 8, Line 14, Claim 15:  
(Page 4, Line 16, Claim 41: Examiner's Amendment dated November 16, 2007)

Delete "low" and insert – not very likely –.


Column 8, Line 15, Claim 15:  
(Page 4, Line 18, Claim 41: Examiner's Amendment dated November 16, 2007)

Delete "intermediate" and insert – likely –.

Enclosed herewith is one copy of the form for Certificate of Correction (PTO/SB/44).

The Commissioner is hereby authorized to charge any additional fees to our Deposit Account No. 02-3978.

Respectfully submitted,

By   
William G. Conger  
Reg. No. 31,209  
Attorney/Agent for Applicant

Date: May 12, 2008

**BROOKS KUSHMAN P.C.**  
1000 Town Center, 22<sup>nd</sup> Floor  
Southfield, MI 48075-1238  
Phone: (248) 358-4400  
Fax: (248) 358-3351,,

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.  
(Also Form PTO-1050)

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : 7,353,057  
DATED : April 1, 2008  
INVENTOR(S) : EDMUND SCHIESSLE, et al.

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

Column 8, Line 14, Claim 15:

Delete "low" and insert - not very likely —.

Column 8, Line 15, Claim 15:

Delete "intermediate" and insert — likely —.

MAILING ADDRESS OF SENDER:

BROOKS KUSHMAN P.C.  
1000 Town Center, 22<sup>nd</sup> Floor  
Southfield, Michigan 48075-1238

PATENT NO. 7,353,057

No. of additional copies



Burden Hour Statement: This form is estimated to take 1.0 hour to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent & Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, U.S. Patent & Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450.